

## Avide LED Strip 12-24V 216W RGB 5 Keys RF Touch Remote and Controller

**Product code:** ABLS12V5TKRGB-216W-RFC  
**Brand link:** [avidelighting.com/qr/ABLS12V5TKRGB-216W-RFC](https://avidelighting.com/qr/ABLS12V5TKRGB-216W-RFC)  
**ID:** AB-190518  
**Company name:** Bramcke Hungary Kft.  
**Company address:** Kishatár utca 17., 4031 Debrecen

QR code:



Date of issue: 2024-10-03

Page: 1/3

### SPECIFICATIONS

EAN code: 5999097912523  
Warranty: 2year(s)  
Working temperature: -20 - +40 °C  
Packaging: 1/b 50/c  
Certifications: CE

### BOX PICTURE

### TECHNICAL DETAILS

Wattage: 216W  
Voltage: 12-24V  
Dimmability:  
IP standard: IP20

**Avide LED Strip 12-24V 216W RGB 5 Keys RF Touch Remote and Controller**

**Product code:** ABLS12V5TKRGB-216W-RFC  
**Brand link:** [avidelighting.com/qr/ABLS12V5TKRGB-216W-RFC](http://avidelighting.com/qr/ABLS12V5TKRGB-216W-RFC)  
**ID:** AB-190518  
**Company name:** Bramcke Hungary Kft.  
**Company address:** Kishatár utca 17., 4031 Debrecen

QR code:



Date of issue: 2024-10-03

Page: 2/3

**PRODUCT SIZE**

Magasság: 90mm  
 Szélesség: 90mm  
 Hosszúság: 64mm

**CARDBOARD BOX**

EAN: 5999097912523  
 Packaging: 1/b 50/c  
 Dimensions: 140mm x 55mm x 80mm  
 Net weight: 80g  
 Gross weight: 90g

**CARTON**

EAN: 5999097912530  
 Packaging: 1/b 50/c  
 Dimensions: 420mm x 290mm x 300mm  
 Net weight: 4kg  
 Gross weight: 4.5kg


**PALLET EXAMPLE**

Height: 120cm (std Euro pallet)  
 Width: 80cm (std Euro pallet)  
 Mepth: 0carton/pallet  
 Cartons per row: 0.08kg  
 Net weight: 0.09kg  
 Gross weight:

**PRODUCT PICTURE**



**PRODUCT OUTLINE**



Avide LED Strip 12-24V 216W RGB 5 Keys RF Touch Remote and Controller

**Product code:** ABLS12V5TKRGB-216W-RFC  
**Brand link:** [avidelighting.com/qr/ABLS12V5TKRGB-216W-RFC](https://avidelighting.com/qr/ABLS12V5TKRGB-216W-RFC)  
**ID:** AB-190518  
**Company name:** Bramcke Hungary Kft.  
**Company address:** Kishatár utca 17., 4031 Debrecen

QR code:



Date of issue: 2024-10-03

Page: 3/3

PRODUCT DESCRIPTION