

## Avide LED Strip 12V 14.4W RGB IP65 5m

**Product code:** ABLS12V5050-60RGB65  
**Brand link:** [avidelighting.com/qr/ABLS12V5050-60RGB65](https://avidelighting.com/qr/ABLS12V5050-60RGB65)  
**ID:** AB-190518  
**Company name:** Bramcke Hungary Kft.  
**Company address:** Kishatár utca 17., 4031 Debrecen

QR code:



Date of issue: 2024-10-03

Page: 1/3

### SPECIFICATIONS

EAN code: 5999562286128  
Warranty: 2year(s)  
Working temperature: -20 - +40 °C  
Packaging: 5/b 250/c 3500/p  
Certifications: CE

### BOX PICTURE

### TECHNICAL DETAILS

Wattage: 72W  
Voltage:  
Beam angle: 120°  
Dimmability: Yes  
Lumen output:  
Color temperature:  
Lifetime: 25 000h  
Energy class:  
Type of LED: SMD5050  
LED / meter: 60LED/m  
IP standard: IP65

## Avide LED Strip 12V 14.4W RGB IP65 5m

**Product code:** ABLS12V5050-60RGB65  
**Brand link:** [avidelighting.com/qr/ABLS12V5050-60RGB65](https://avidelighting.com/qr/ABLS12V5050-60RGB65)  
**ID:** AB-190518  
**Company name:** Bramcke Hungary Kft.  
**Company address:** Kishatár utca 17., 4031 Debrecen

QR code:



Date of issue: 2024-10-03

Page: 2/3

### CARDBOARD BOX

**EAN:** 5999562286128  
**Packaging:** 5/b 250/c 3500/p  
**Dimensions:** 210mm x 230mm x 10mm  
**Net weight:** 19g  
**Gross weight:** 20.9g

### BOX PICTURE

### CARTON

**EAN:** 5999562286135  
**Packaging:** 5/b 250/c 3500/p  
**Dimensions:** 410mm x 410mm x 240mm  
**Net weight:** 4.75kg  
**Gross weight:** 5.225kg

### PALLET EXAMPLE

**Height:**  
**Width:** 120cm (std Euro pallet)  
**Meprh:** 80cm (std Euro pallet)  
**Cartons per pallet:** 14carton/pallet  
**Cartons per row:**  
**Net weight:** 66.5kg  
**Gross weight:** 73.15kg

Avide LED Strip 12V 14.4W RGB IP65 5m

**Product code:** ABLS12V5050-60RGB65  
**Brand link:** [avidelighting.com/qr/ABLS12V5050-60RGB65](https://avidelighting.com/qr/ABLS12V5050-60RGB65)  
**ID:** AB-190518  
**Company name:** Bramcke Hungary Kft.  
**Company address:** Kishatár utca 17., 4031 Debrecen

QR code:



**Date of issue:** 2024-10-03

**Page:** 3/3

PRODUCT DESCRIPTION